








FLOOD WATER FORCE  
SECTION B-B




DETAIL C  
JAMB DETAIL ①②③



DETAIL D  
JAMB DETAIL ①②③



DETAIL E  
SILL DETAIL ④



DETAIL F  
INTERMEDIATE DETAIL

**FP-530 FLOOD PLANK SYSTEM - BETWEEN JAMB MOUNT**

PROPRIETARY AND CONFIDENTIAL DRAWINGS ARE EXCLUSIVE PROPERTY OF PRODUCTION SPECIALTIES CORPORATION, dba PS DOORS AND CANNOT BE USED IN WHOLE OR PART WITHOUT WRITTEN CONSENT © 2017 PS DOORS ALL RIGHTS RESERVED

- ① LOCATION AND QUANTITY OF ANCHORS TBD BASED ON LOADING
- ② DESIGN SHOWN REQUIRES STRUCTURE TO BE A MINIMUM OF 8" GROUT FILLED CMU OR 3000 PSI CIP; CONTACT PS DOORS FOR DEVIATIONS
- ③ FLOOD LOAD ON PLANK SYSTEM IS TRANSFERRED TO BUILDING STRUCTURE
- ④ STANDARD SILL TO BE EMBEDDED ANGLE; CONTACT PS DOORS FOR ADDITIONAL OPTIONS

MODEL: FP-530  
**REFERENCE DRAWING  
NOT FOR CONSTRUCTION**  
DWG BY: PSDOORS

DATE: 12/28/2017  
SCALE: NTS  
SHEET #: 1 OF 1  
REV: E

**PS Flood Barriers™**  
1150 S 48th ST  
GRAND FORKS, ND 58201  
PH. 701-746-4519  
psfloodbarriers.com