
SOLUTIONS THAT HOLD WATER





877.446.1519 psfloodbarriers.com | 4psinfo@psindustries.com

PSINDUSTRIES[®]





POINT-OF-USE STORAGE

Now from PS Flood Barriers (formerly products of ILC Dover), Flex-Gate® and Flex-Cover® flood barriers are constructed using a revolutionary combination of high-strength textiles and corrosion resistant hardware. The point-of-use storage offered by these products is an important element in many flood protection strategies. Flex-Gate barriers are stored at the point-of-use, while Flex-Cover barriers are stored near the point-of-use for deployment in minutes.





FLEX-GATE®

Bottom Deploy (FGBD)

This is a high-strength fabric wall that deploys vertically, rapidly providing flood protection around and between buildings, across doors of any size or in front of glass.





Quick Deployment


FLEX-GATE Stairwell

(FGS)

A high-strength, dry flood-proofing closure that can be deployed rapidly for flood mitigation of tunnels, doors or portals of any kind. It can fit openings of any shape, size or orientation.




— (FGSD) This product is made from high-strength fabric and deploys from the side. It can be installed around and between buildings, as well as across doors of any size or across window walls.



FLEX-GATE® Portal _ (FGP)

Side Deploy

This is a high-strength flexible wall that can be deployed rapidly for flood protection of portals, road tunnels, vehicular entrances and other infrastructure.



Door _ (FCD) Engineered for single or double doors, this high-strength flood barrier provides watertight and impact-resistant protection by combining a structural frame, water barrier and impact-resistant layers with advanced compression gaskets. Two units can be joined using center posts to cover larger openings.



FLEX-COVER® Grate _ (FCG)

An economical and reliable method of dry flood protection for grates, this unit features a highly durable coated fabric cover that is built to withstand any water depth and shaped to fit any opening configuration. It can also be adapted for use on vertical ventilation shaft covers or louvers. Point-of-use storage options are available, giving you the advantage of storing it directly beside the grate or nearby in our optional container.

PASSIVE FLOOD BARRIERS

HYDRO**1**°

Ease Of Install





Independent-Party Validated

U.S. AND INTERNATIONAL PATENTS

PENDING

The new Hydro1^{*} Flood Doors are the most progressive products in the passive flood-protection market, serving as both flood-protection barriers and normal-use pedestrian doors. Always in place, the Hydro1 is a purpose-built flood door, not to be confused with repurposed hollow metal doors that fail to meet flood codes. Hydro1 Flood Doors feature the lowest leakage rate in the industry, with a unique one-piece perimeter gasket that creates a watertight seal without risking damage from users. All doors are 100% customizable in single or paired configurations. Hydro1 PD520 and PD522 have passed testing for Florida Product Approval, including the High Velocity Hurricane Zone (Miami-Dade and Broward counties). Select models are ADA compliant.





Pedestrian Flood Door

IN-STOCK HYDRO1° FLOOD DOORS SHIP IN 3 DAYS OR LESS*

The in-stock Hydro1 Flood Door is a standard 3'x7' door panel and is sized to fit openings 40" to 41-1/2" wide and a minimum of 86" tall. It is a single-configuration pedestrian door with a right-hand reverse or left-hand reverse option. The Hydro1's patented design is easy to install, has undergone independent-party witness testing to the ANSI/FM Approvals 2510-2020 4.3.3 standard up to 8 feet of water protection, and is ADA compliant.



ORIDA PRODUC

FL :

Ships In 3 Days Or Less *

FM CERTIFIED FLOOD DOORS

The FM APPROVED mark is recognized and respected worldwide. The certification instills confidence in the marketplace by certifying quality, technical integrity and product performance. The original Pedestrian Flood Door (PD-520), the original Mechanical Room Flood Door (PD-525) and the Fire Rated Flood Door (PD-522) have all been tested and passed the FM Approvals 2510 Standard (ANSI 2510). Each product is available in single and paired configurations.

* Limited to stock on hand

Fire Rated Flood Door



Always in Place



Pedestrian Flood Door (PD-520)



Mechanical Room Flood Door (PD-525)



Approved

Fire Rated Flood Door (PD-522)

PASSIVE FLOOD BARRIERS CONTINUED





AQUATRIGGER[™]

Automatic Flip-Up Flood Barrier (BH-590)

This pivotal flood protection solution self-stores flush with a walk/ drive surface. It is AASHTO H-20/HS-20 load rated for large truck traffic, and if flooding occurs, the water's hydrostatic pressure causes the barrier to automatically pivot up, providing water protection up to 8 feet in height. In addition to being passively activated, this barrier can also be manually or electronically deployed.

AQUATRIGGER[™]

Self-Closing Flood Barrier (SCFB-570)

This unique design allows for a passive response to rising waters, protecting your facility from dangerous flooding. When flooding occurs, the barrier rises into position without human intervention, electricity or power. This barrier is triggered by the hydrostatic pressure of rising floodwater.



ACTIVE FLOOD BARRIERS



HYDRODEFENSE[®] Flood Plank™

(FP-530) (FP-535)

Available in two models, the HydroDefense Flood Plank system provides flood protection in vertical increments of 6-inch (model FP-530) or 8-inch (model FP-535) planks. They are used by stacking planks on top of one another to build a watertight barrier. The FP-530 is ideal for medium flood loads (up to 8' high), while the FP-535 is ideal for heavier flood loads (up to 20' high).



HINGED FLOOD BARRIER

(Single HSS-550, Paired HSP-555)

This flood barrier is designed specifically for the height of water protection that you require. It is available in a single or paired swing configuration. It is similar to a swing door and is permanently installed at the opening.



VERTICAL LIFT FLOOD BARRIER (VL-580)

This unit provides powerful flood protection designed for unique opening applications. It is perfect for flood proofing in areas where conventional swinging, sliding or lift-out barriers will not work.

ACTIVE FLOOD BARRIERS CONTINUED









Storage

SLIDING FLOOD BARRIER (HS-560)

This flood protection barrier is designed specifically for the height of flood protection you require. The barrier simply slides horizontally into place to cover your opening. Stored at the opening for fast deployment during flooding conditions.





LIFT-OUT FLOOD BARRIER (LO-510)

A rugged water stopper, this barrier provides flood protection at the time of need. This barrier is installed in flooding conditions or stored away from the opening when flood risk is low.





HATCHES



FLOOD HATCH (FH-540)

This Flood Hatch is always in place, protecting underground utilities, tunnels and subway systems from flooding.

EzDam® (EZD)

EzDam[®] is an easy and economical option for flood protection. Simply latch the barrier to the jambs in front of your door opening. It deploys in just 30 seconds. This product is an excellent alternative to heavy and messy sandbags.

SPILL CONTAINMENT BARRIERS

Spill containment barriers from PS Flood Barriers are excellent for industrial applications where spills can become a hazard. Our AquaTrigger Barriers, EzDam and Plank Systems are custom designed to prevent water, chemical spills or sprinkler releases from spreading throughout your facility or harming the environment.



Self-Stores, Deployed Electronically, Pivots Open Manually Or Passively Pivots Open





Instal Quickly Customizable



Grand Forks, North Dakota, 1997

Flood Concerns Shouldn't Erode Your Confidence

At PS Flood Barriers[®], we learned about the incredible power of water firsthand during the Red River's devastating flood of 1997 in our hometown of Grand Forks, North Dakota. In fact, our team evolved in response to several catastrophic floods in our area.

You can trust PS Flood Barriers to keep your facility dry, even when the waters rise outside.

State-of-the-Art Manufacturing – PS Flood Barriers' products are built in an ultramodern, 180,000-square-foot facility that includes in-house engineering, design, manufacturing, extensive testing capabilities, and research and development.

FM/ANSI Approval – Several of our products meet the FM/ANSI 2510 standard, and many items have attained Level 3 Platinum status through the National Flood Barrier Testing and Certification Program in partnership with the U.S. Army Corps of Engineers, FM Approvals and the Association of State Floodplain Managers.

Customization – We understand that every flooding situation is distinct, and we can manufacture custom flood protection for even the most unique applications.

ISO Certification – Our company is ISO quality management certified, ensuring that we consistently meet the quality and regulatory standards needed to protect your most important assets.



Check out these other product lines from PS Industries[®]





PS Access Solutions[™] include a complete line of industrial doors and hatches constructed to specifically withstand the abuses of industry and manufacturing.

PS Safety Access[®] fall-protection products include gates, hatches and doors that provide barriers against everyday workplace dangers that can injure personnel and hinder productivity.

877.446.1519 | psfloodbarriers.com | 4psinfo@psindustries.com 1150 South 48th Street | Grand Forks, ND 58201